



## FOLDING DOORS & PARTITIONS

For All Building Types

*Made-To-Your-Order In the USA™*

Call Specialty Doors at 866-815-8151  
for your custom quote today.



## SONICWAL/66® ACOUSTICAL

Sonicwal/66 acoustical accordion partitions feature two parallel rows of sound dampened, 6" wide, laminated wood core panels that provide substantial sound isolation between adjoining spaces. They are designed for intermediate sized openings in spaces that are built to support this models' exceptional sound performance capabilities. Available with Sound Transmission Class (STC) Ratings 38, 42 & 44.



**HEIGHTS TO 16' 1"**

**ALL WIDTHS**

**28 DAY LEAD TIME**

**2 YR LIMITED WARRANTY**

### HANDLE DETAIL



### AVAILABLE COLORS

Available with over 40 solid, multicolored and wood grain decorative vinyl laminates, genuine wood veneers and high pressure laminates shown on page 2.

### STANDARD FEATURES

#### PANELS

Twin rows of strong, 6" wide, 1/2" thick, laminated wood core panels; Airscape™ air release feature

#### HINGES

Memory Action®, Dual-Wall™ flexible vinyl hinges reduce light, sound and air transmission

#### HANDLES & LATCH

Heavy-duty Draw-tite™ latch with Gripull™ handles in aluminum or bronze finish

#### CARRIERS

Smooth-rolling, 15/16" diameter, nylon-tired, steel-ball-bearing-wheeled carriers on each volute and each end post

#### TRACK

Heavy-duty aluminum top track and Startex™ White Ceilingguard™ that conceals track edges and engages with top sweepseals

#### SWEEPSEALS

Top and bottom Sonicsweep™ seals; bottom seals can be adjusted during installation to conform to out-of-level floors

### + OPTIONAL FEATURES

Choice of Sound Transmission Class (STC) Ratings - STC 38, 42 & 44

Privacy (Thumbturn), Emergency (Coin) Release and Cylinder Key Locks

Matching Ceilingguard in lieu of Startex White finish

Visit Panelfold website for additional decorative finishes such as Woventex™ fabrics and Ribtex™ wall carpeting

Curved track

Two-, three-, and four-way meeting posts for partitions that join at right angles

\*Dealer representative must contact Panelfold for pricing on optional features

### AVAILABLE COLORS


Panelfold Scale® and Sonicwal® folding doors and partitions are available with the decorative finishes shown below. Due to variations in monitor and printer calibration, the color images shown may not display accurately. Physical color samples are available by contacting Panelfold.

#### Color Group A: Startex™




Startex pattern, solid-color, textured vinyl laminates have a subtle, stipple texture and are the lowest in price of all finishes. They are offered in a palette of five attractive, versatile colors.

#### Color Group B: Woodtex®



#### Lustertex™




Woodtex high-fidelity wood grain vinyl laminates have a high-grade build in which the printing is "locked in" between an opaque bottom film and a clear top film. Lustertex textured vinyl laminates have a brushed metallic appearance. All ten colors are available for a single upgrade price over Startex textured vinyl laminates.

#### Color Group C:



Sandtex, Fabrictex, Hightex, Ropetex and Meritex pattern textured vinyl laminates each have a distinctive embossing. All 20 colors are available for a single upgrade price.

#### Color Group D: Genuine Wood Veneers



Panelfold's genuine wood veneer collection is for installations that demand the elegance of natural wood. Supplied standard with clear lacquer finish. Unfinished veneers and custom-stained veneers are available upon request.

#### High Pressure Laminates

Panelfold Scale and Sonicwal models are available with Wilsonart® and Formica® High Pressure Laminates. For pricing, please submit a quote request along with the brand and color reference.



## FOLDING DOORS & PARTITIONS

For All Building Types

*Made-To-Your-Order In the USA™*

Call Specialty Doors at 866-815-8151  
for your custom quote today.



### 5 EASY STEPS TO CUSTOMIZE YOUR DOOR OR PARTITION

Provide the following information for each unique opening in order to obtain a price.

GUEST NAME

PHONE #

EMAIL ADDRESS

SHIP-TO ADDRESS FOR DELIVERY

#### STEP 1: Model

MODEL  
NAME

SOUND TRANSMISSION CLASS (STC)  
RATING (Acoustical Models Only)

QTY of IDENTICAL  
OPENINGS

#### STEP 2: Measurements (to nearest 1/8")

FABRICATION WIDTH (FW)

Specify the complete  
width from finished  
jamb to finished jamb.

FABRICATION HEIGHT (FH)

Specify the complete height from the top of the  
track to the top of the finished floor or floor covering.  
Do not take deductions or make allowances.

#### STEP 3: Configuration

☐ SINGLE DOOR /  
FIXED TO JAMB




Attaches & stacks to  
either jamb & latches  
to opposite jamb

☐ SINGLE DOOR /  
DOUBLE END POSTS




Latches to  
both jambs

☐ DOUBLE DOORS /  
FIXED TO JAMBS



Attaches &  
stacks to both  
jambs & latches  
in the center


☐ DOUBLE DOORS /  
DOUBLE END POSTS



Latches at  
both jambs  
and in the  
center

#### STEP 4: Security / Lock Options

#### STEP 5: Color



☐ LEFT STACKING

☐ RIGHT STACKING

Specify "Left Stacking" or "Right Stacking" for Single Fixed-Jamb Doors only.

PATTERN / COLOR:

EX: Criterion® White Swan  
Startex™ London White

#### Additional Features/Comments/Notes

Panelfold®, the Panelfold Logo™, Panelfold Innovative Space Division Systems™, Panelfold Made-To-Your-Order™, Criterion®, Touch-bar™ and Startex™ are either registered trademarks or trademarks of Panelfold, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners.

Copyright © 2014 by Panelfold, Inc. All rights reserved.