



## FOLDING DOORS & PARTITIONS

For All Building Types



Made-To-Your-Order In the USA™

Call Specialty Doors at 866-815-8151 for your custom quote today.

## SONICWAL/66® ACOUSTICAL

Sonicwal/66 acoustical accordion partitions feature two parallel rows of sound dampened, 6" wide, laminated wood core panels that provide substantial sound isolation between adjoining spaces. They are designed for intermediate sized openings in spaces that are built to support this models' exceptional sound performance capabilities. Available with Sound Transmission Class (STC) Ratings 38, 42 & 44.



- HEIGHTS TO 16' 1"
- ALL WIDTHS
- 28 DAY LEAD TIME
- 2 YR LIMITED WARRANTY

### HANDLE DETAIL



### AVAILABLE COLORS

Available with over 40 solid, multicolored and wood grain decorative vinyl laminates, genuine wood veneers and high pressure laminates shown on page 2.

## STANDARD FEATURES

**PANELS**  
Twin rows of strong, 6" wide, 1/2" thick, laminated wood core panels; Airscape™ air release feature

**HINGES**  
Memory Action®, Dual-Wall™ flexible vinyl hinges reduce light, sound and air transmission

**HANDLES & LATCH**  
Heavy-duty Draw-tite™ latch with Gripull™ handles in aluminum or bronze finish

**CARRIERS**  
Smooth-rolling, 15/16" diameter, nylon-tired, steel-ball-bearing-wheeled carriers on each volute and each end post

**TRACK**  
Heavy-duty aluminum top track and Startex™ White Ceilingguard™ that conceals track edges and engages with top sweepseals

**SWEEPSEALS**  
Top and bottom Sonicsweep™ seals; bottom seals can be adjusted during installation to conform to out-of-level floors

## + OPTIONAL FEATURES

Choice of Sound Transmission Class (STC) Ratings - STC 38, 42 & 44

Visit Panefold website for additional decorative finishes such as Woventex™ fabrics and Ribtex™ wall carpeting

Privacy (Thumbturn), Emergency (Coin) Release and Cylinder Key Locks

Curved track

Matching Ceilingguard in lieu of Startex White finish

Two-, three-, and four-way meeting posts for partitions that join at right angles

\*Dealer representative must contact Panefold for pricing on optional features

**AVAILABLE COLORS**

Panefold Scale® and Sonicwal® folding doors and partitions are available with the decorative finishes shown below. Due to variations in monitor and printer calibration, the color images shown may not display accurately. Physical color samples are available by contacting Panefold.

**Color Group A: Startex™**




Startex pattern, solid-color, textured vinyl laminates have a subtle, stipple texture and are the lowest in price of all finishes. They are offered in a palette of five attractive, versatile colors.

**Color Group B: Woodtex®**



**Lustertex™**




Woodtex high-fidelity wood grain vinyl laminates have a high-grade build in which the printing is “locked in” between an opaque bottom film and a clear top film. Lustertex textured vinyl laminates have a brushed metallic appearance. All ten colors are available for a single upgrade price over Startex textured vinyl laminates.

**Color Group C:**



Sandtex, Fabrictex, Hightex, Ropetex and Meritex pattern textured vinyl laminates each have a distinctive embossing. All 20 colors are available for a single upgrade price.

**Color Group D: Genuine Wood Veneers**



Panefold’s genuine wood veneer collection is for installations that demand the elegance of natural wood. Supplied standard with clear lacquer finish. Unfinished veneers and custom-stained veneers are available upon request.

**High Pressure Laminates**

Panefold Scale and Sonicwal models are available with Wilsonart® and Formica® High Pressure Laminates. For pricing, please submit a quote request along with the brand and color reference.



# FOLDING DOORS & PARTITIONS

For All Building Types



Made-To-Your-Order In the USA™

Call Specialty Doors at 866-815-8151 for your custom quote today.

## 5 EASY STEPS TO CUSTOMIZE YOUR DOOR OR PARTITION

Provide the following information for each unique opening in order to obtain a price.

GUEST NAME  PHONE #  EMAIL ADDRESS   
 SHIP-TO ADDRESS FOR DELIVERY

### STEP 1: Model

MODEL NAME  SOUND TRANSMISSION CLASS (STC) RATING (Acoustical Models Only)  QTY of IDENTICAL OPENINGS

### STEP 2: Measurements (to nearest 1/8")

FABRICATION WIDTH (FW)  Specify the complete width from finished jamb to finished jamb.  
 FABRICATION HEIGHT (FH)  Specify the complete height from the top of the track to the top of the finished floor or floor covering. Do not take deductions or make allowances.

### STEP 3: Configuration

SINGLE DOOR / FIXED TO JAMB




Attaches & stacks to either jamb & latches to opposite jamb

SINGLE DOOR / DOUBLE END POSTS




Latches to both jambs

DOUBLE DOORS / FIXED TO JAMBS



Attaches & stacks to both jambs & latches in the center

DOUBLE DOORS / DOUBLE END POSTS




Latches at both jambs and in the center

### STEP 4: Security / Lock Options

### STEP 5: Color

PATTERN / COLOR:

EX: Criterion® White Swan  
Startex™ London White



LEFT STACKING

RIGHT STACKING

Specify "Left Stacking" or "Right Stacking" for Single Fixed-Jamb Doors only.

### Additional Features/Comments/Notes

Panefold®, the Panefold Logo™, Panefold Innovative Space Division Systems™, Panefold Made-To-Your-Order™, Criterion®, Touch-bar™ and Startex™ are either registered trademarks or trademarks of Panefold, Inc. in the United States and/or other countries. All other trademarks are the property of their respective owners.